

— CISCO CATALYST 1300 SERIES

Cisco C1300-24P-4X Managed Switch

The Cisco C1300-24P-4X is a high-performance, enterprise-grade managed switch delivering 24 Gigabit Ethernet PoE+ ports, 4 x 10G SFP+ high-speed uplinks, advanced Layer 3 routing capabilities, comprehensive security, and intuitive management for modern business network infrastructures.

[View Full Specifications](#)[WhatsApp NexoGet](#)

NexoGet



nexoget.com

24-Port

Gigabit PoE+ Ports

4 × 10G

SFP+ High-Speed Uplinks

128 Gbps

Switching Capacity

Stackable

Up to 8 Units

PRODUCT OVERVIEW

Enterprise Connectivity and Power Distribution

Designed for small and medium-sized enterprises, the Cisco C1300-24P-4X combines reliable power-over-ethernet capabilities with blazing-fast 10-Gigabit uplinks. It eliminates network bottlenecks, powers connected edge devices effortlessly, and ensures top-tier operational security.

POE

High-Budget PoE+

Delivers robust power over Ethernet to seamlessly run IP cameras, VoIP phones, and wireless access points.

10G

10G SFP+ Uplinks

Four 10G SFP+ slots provide high-bandwidth connectivity to core network layers without data congestion.

STK

True Stacking

Supports hardware stacking of up to 8 units, allowing unified management and resilient ring topologies.

SEC

Advanced Security

Equipped with 802.1X port security, Access Control Lists (ACLs), and encrypted management protocols (SSH/SSL).

WEB

Intuitive Management

Easy-to-use web UI, CLI, SNMP, and Cisco Business Dashboard support streamlined network monitoring.

L3

Layer 3 Switching

Supports static routing and advanced features to segment traffic efficiently across virtual LANs (VLANs).

01 / TECHNICAL SPECIFICATIONS

Cisco C1300-24P-4X Switch Detailed Specifications

Comprehensive technical specifications for the Cisco Catalyst C1300-24P-4X Managed Switch.

Manufacturer	Cisco Systems, Inc.
Product Family	Cisco Catalyst 1300 Series
Model / Part Number	Cisco C1300-24P-4X
Product Type	Managed Layer 3 Stackable Switch
Total Interfaces	28 Ports
Gigabit Ethernet Ports	24 x 10/100/1000 Mbps PoE+
Uplink Ports	4 x 10G SFP+
PoE Capability	IEEE 802.3af/at PoE+ supported
Switching Capacity	128 Gbps
Forwarding Rate	95.23 Mpps

Hardware Stacking	Up to 8 units
Processor & Memory	ARM Dual-Core 1.5 GHz, 1GB DRAM, 1GB Flash
Management Interfaces	Web UI, CLI, SNMP, Cisco Business Dashboard
Security Features	802.1X, ACLs, Secure Shell (SSH), SSL encryption
Rack Mountable	Yes, 1U Form Factor
Physical Dimensions	444.3 × 299 × 43.94 mm (Width × Depth × Height)
Net Weight	~ 3.95 kg (8.7 lbs)
Operating Temperature	0 to 50°C (32 to 122°F)

02 / DEPLOYMENT

Network Architecture and Integration

The C1300-24P-4X fits smoothly into growing corporate infrastructures, providing the performance required for heavy data traffic, high-resolution security monitoring, and unified communications systems.

Core Aggregation

Leverage 10G SFP+ uplinks to bridge access switches directly to core network backbones securely.

Edge Powering

Eliminate external power bricks for IP desk phones, wireless APs, and security cameras using integrated PoE+.

Scalable Expansion

Easily expand your network capacity over time using true hardware stacking

capabilities.

03 / PACKAGING

Dimensions, Weight and Shipping Information

Estimated physical package measurements and gross shipping weight including accessories, power cords, and mounting brackets.

Device Dimensions	444.3 × 299 × 43.94 mm (Without brackets)
Device Net Weight	3.95 kg
Package Dimensions	Approx. 55 × 40 × 12 cm
Package Gross Weight	Approx. 7.50 kg (Including accessories & carton)

04 / NEXOGET

Before You Order Cisco C1300-24P-4X

Ensure your network requirements, power budgets, and optical transceiver modules align with your deployment goals. Contact NexoGet for stock availability, commercial quotations, and international delivery updates.

Important: Verify specific module compatibility, warranty terms, and shipping destinations prior to finalizing your procurement request.

NexoGet

Need a quote for Cisco C1300-24P-4X Switch?

Contact NexoGet for pricing, availability, configuration guidance, and fast international shipping details.

[+971 50 516 6272](tel:+971505166272)

info@nexoget.com

[WhatsApp NexoGet](#)

NexoGet.com