

— CISCO CATALYST 9200L SERIES

Cisco C9200L-24T-4X-E Managed Network Switch

Enterprise-class Layer 2 and Layer 3 access switching with 24 Gigabit Ethernet data ports, four fixed 1/10 Gigabit uplink ports, Cisco IOS XE software and Network Essentials licensing. Designed for secure, reliable campus and branch network connectivity.

✉ Request Pricing

💬 WhatsApp

NexoGet



nexoget.com

Access Ports

24 × Gigabit Ethernet

Uplink Ports

4 × 1/10G

Switching Capacity

128 Gbps

Power over Ethernet

Not Supported

PRODUCT OVERVIEW

Cisco Catalyst C9200L-24T-4X-E Switch

The Cisco Catalyst C9200L-24T-4X-E is a fixed-configuration enterprise access switch in the Catalyst 9200L family. It provides 24 Gigabit Ethernet data ports and four fixed uplink interfaces supporting 1 Gigabit or 10 Gigabit connectivity, making it suitable for business networks that need dependable access switching and high-speed connections to distribution or core network equipment.

Powered by Cisco IOS XE, the platform supports enterprise network management and security capabilities associated with the Catalyst 9200 family. The “-E” model designation identifies the Network Essentials software license tier. This model is a non-PoE data switch, so connected devices requiring power over Ethernet need a separate power source or a suitable PoE switch.

The C9200L-24T-4X-E can be considered for office access networks, branch deployments, wired user connectivity and network refresh projects. Confirm the required software features, transceiver compatibility and stacking design against the intended deployment before ordering.

KEY FEATURES

Enterprise Switching for Campus and Branch Networks

24P

24 Gigabit Ethernet Ports

10G

Four Fixed Uplink Ports

Twenty-four 10/100/1000BASE-T data interfaces for connecting desktop computers, printers, access points and other Ethernet-enabled devices.

Four 1/10 Gigabit uplink interfaces provide high-speed connectivity to compatible aggregation switches and upstream network infrastructure.

IOS XE

Cisco IOS XE

Cisco's enterprise network operating system supports platform management and network capabilities according to the hardware, software release and license.

NE

Network Essentials

The "-E" product suffix identifies the Network Essentials license tier. Verify individual feature requirements against Cisco's current licensing documentation.

128G

128 Gbps Switching Capacity

A switching capacity of up to 128 Gbps supports high-speed forwarding across the switch's access and uplink interfaces.

1U

Rack-Mountable Design

The 1U chassis format is designed for standard network rack installations, helping organize enterprise access-layer equipment.

TECHNICAL SPECIFICATIONS

Cisco C9200L-24T-4X-E Specifications

Specification	Details
Brand	Cisco

Specification	Details
Model / PID	C9200L-24T-4X-E
Product Family	Cisco Catalyst 9200L Series
Product Type	Managed Enterprise Network Switch
Access Ports	24 × 10/100/1000BASE-T Gigabit Ethernet data ports
Uplink Ports	4 × fixed 1/10 Gigabit uplink ports
Uplink Type	Fixed uplink interfaces; confirm supported optics and cables in Cisco compatibility documentation
PoE Support	No — data-only access ports
Software License Tier	Network Essentials
Operating System	Cisco IOS XE
Switching Capacity	128 Gbps
Forwarding Rate	Up to 95.23 Mpps
Stacking Bandwidth	80 Gbps, subject to supported stacking configuration
Rack Form Factor	1U
Chassis Dimensions (H × W × D)	4.4 × 44.5 × 28.8 cm

Specification	Details
Dimensions Including Front-End Projection and Fan (H × W × D)	4.4 × 44.5 × 32.9 cm
Chassis Weight	Approximately 4.35 kg
Package Dimensions	Not confirmed for this exact product SKU; request the shipping-carton measurements from the seller
Package Weight	Not confirmed for this exact product SKU; confirm the packed shipping weight with the seller

Specification Note: Product specifications, supported features and included accessories can vary with hardware revision, software release and sales configuration. Consult the official Cisco documentation and confirm the exact product PID before purchasing.

DEPLOYMENT GUIDANCE

Check Compatibility Before Ordering

01

Uplink Compatibility

Verify the required 1G or 10G transceivers, fiber type, cable length and compatibility with the upstream switch before deployment.

02

Power Requirements

This model does not provide PoE power to connected devices. Confirm the power supply, power cord and any required redundant-power accessories.

03

License and Software

Confirm that Network Essentials and the intended Cisco IOS XE release meet your routing, security, management and network-policy requirements.

Ordering Note: Before placing an order, confirm the exact PID C9200L-24T-4X-E, new or refurbished condition, license status, included accessories, power-cord region, supported uplink transceivers, warranty and shipping arrangements.

FREQUENTLY ASKED QUESTIONS

Cisco C9200L-24T-4X-E FAQs

How many Ethernet ports does this switch have?

It has 24 Gigabit Ethernet access ports and four fixed uplink ports supporting 1G or 10G connectivity.

Does the C9200L-24T-4X-E support PoE?

No. This is a data-only model. Devices that need Ethernet-delivered power require a separate power source or a suitable PoE-capable switch.

Which software license does it use?

The “-E” suffix identifies the Network Essentials license tier. Confirm the included entitlement and any subscription or feature requirements with the seller.

Can it be installed in a network rack?

Yes. The switch uses a 1U rack form factor. Confirm that the rack depth, airflow, power and installation accessories meet your requirements.

What are the device dimensions and weight?

The chassis is approximately 4.4 × 44.5 × 28.8 cm and weighs about 4.35 kg. Allow additional depth for front-end projection and fan clearance.

Are shipping-carton dimensions available?

The package dimensions and packed weight have not been verified for this exact SKU. Ask the supplier to confirm them before arranging freight.

OFFICIAL PRODUCT INFORMATION

Technical Documentation

For detailed hardware specifications, software capabilities, supported transceivers and installation requirements, consult Cisco's official resources:

[Cisco Catalyst 9200 Series Switches — Official Datasheet →](#)

[Cisco Catalyst 9200 Hardware Installation Guide — Technical Specifications →](#)

N NexoGet

Need Pricing or Availability for C9200L-24T-4X-E?

Contact NexoGet for pricing, stock availability, product condition, license details, compatible uplink accessories, warranty options and international shipping quotations for the Cisco Catalyst C9200L-24T-4X-E switch.

 **+971 50 516 6272**

 **info@nexoget.com**



Chat with NexoGet on WhatsApp

Visit NexoGet.com →