

NexoGet

CISCO SWITCH

CATALYST 9300L

24-PORT POE+

4x 10G UPLINK

— CISCO CATALYST 9300L SERIES

Cisco Catalyst 9300L-24P-4X Switch

The Cisco Catalyst 9300L-24P-4X is an enterprise-class managed switch featuring 24 ports of full Power over Ethernet Plus (PoE+), 4 fixed 10G SFP+ uplink ports, and the advanced Cisco IOS XE operating system designed to secure, scale, and simplify modern campus networks.

[View Full Specifications](#)

[WhatsApp NexoGet](#)

NexoGet



nexoget.com

Enterprise-Class Performance & PoE+ Power

Engineered for high-density workplace access, the C9300L-24P-4X delivers robust switching capacity, resilient power options, and deep network intelligence to support growing enterprise infrastructures and IoT integration.

24P

24-Port PoE+

Full Power over Ethernet Plus support for seamless endpoint power delivery to IP phones, cameras, and wireless APs.

10G

4 x 10G Uplinks

Fixed high-speed SFP+ uplink connections ensuring high-bandwidth core integration and bottleneck-free data aggregation.

XE

Cisco IOS XE

Programmable operating system supporting API integration, streaming telemetry, and zero-touch deployment.

TECHNICAL SPECIFICATIONS

Cisco C9300L-24P-4X Specifications

Detailed hardware and software configuration metrics for system integration.

Brand	Cisco
Model	C9300L-24P-4X
Product Type	Managed Enterprise Switch

Form Factor	Rack-mountable - 1U
Network Architecture	Cisco Catalyst 9300L Series
Total Network Ports	24
Port Type	RJ-45 (10/100/1000 Base-T)
PoE Support	Yes (PoE+)
PoE Power Budget	505W (Default) / 1440W (With Secondary Power Supply)
Uplink Ports	4 x 10G SFP+ (Fixed)
Switching Capacity	128 Gbps
Forwarding Rate	95.23 Mpps
Stacking Bandwidth	320 Gbps (StackWise-320)
RAM Capacity	16 GB
Flash Memory	16 GB
Operating System	Cisco IOS XE
Power Supply Type	Dual Field-Replaceable Power Supplies
Redundant Power Supply	Supported
Fan Module	Fixed (Redundant)

Dimensions & Box Weight

Box Dimensions (L x W x H)	56 × 55 × 11 cm (22 × 21.6 × 4.3 inches)
Gross Weight with Box	Approx. 8.5 to 9.5 kg (Depending on power supply configuration)

Shipping Note: Actual packed carton measurements may vary slightly based on included power cords and accessories. Confirm specifications with NexoGet prior to freight booking.



Need Pricing or Availability for C9300L-24P-4X?

Contact NexoGet for current pricing, stock availability, product condition, accessories, and professional IT hardware quotations.

 [+971 50 516 6272](tel:+971505166272)

 info@nexoget.com



[Chat with NexoGet on WhatsApp](#)

[Visit NexoGet.com](https://nexoget.com) →