

— CISCO CATALYST C1300 SERIES

C1300-16XTS

Managed Switch

The Cisco Catalyst C1300-16XTS is a high-performance managed switch engineered for modern enterprise networks. Featuring 12 multi-gigabit ports and 4 high-speed 10G SFP+ uplink slots, it delivers robust switching capacity, advanced Layer 2 and Layer 3 capabilities, and enterprise-grade security for growing business infrastructures.

[View Full Specifications](#)[WhatsApp NEXOGET](#)

NexoGet



nexoget.com

12

Multi-Gigabit Ports

4x 10G

SFP+ Uplink Slots

320 Gbps

Switching Capacity

Layer 3

Advanced Routing

PRODUCT OVERVIEW

Enterprise-grade multi-gigabit connectivity for core and distribution layers

Designed for reliability and advanced performance, the Cisco C1300-16XTS provides seamless integration with [modern enterprise networks](#), supporting high bandwidth demands, robust security policies, and intuitive dashboard management.

10G**High-Speed Uplinks**

Equipped with 4 dedicated 10G SFP+ fiber ports to eliminate core bottlenecks and ensure rapid data transfer.

SEC**Advanced Security**

Includes IEEE 802.1X, ACLs, and Cisco TrustSec to protect corporate data and secure network access.

GUI**Easy Management**

Configure and monitor your hardware effortlessly via web-based dashboard, CLI, or mobile application.

Basic Product Information

Brand	Cisco
Manufacturer	Cisco Systems, Inc.
Product Name	Cisco Catalyst C1300-16XTS Switch
Model Number	C1300-16XTS
Device Type	Managed Switch - Layer 2 / Layer 3
Series	Cisco Catalyst 1300 Series
Primary Use	Enterprise networking, multi-gigabit access and aggregation
Rack Mountable	Yes (1U Rack-Mount kit included)
Condition	Genuine / Brand New / Certified Refurbished options available
Availability	Contact NEXOGET for real-time stock status and global shipping

Performance & Hardware Interfaces

Total Interfaces / Ports	12 x 100M/1G/2.5G/5G/10G copper ports, 4 x 10G SFP+ fiber slots
Switching Capacity	320 Gbps

Forwarding Rate	238 Mpps (64-byte packets)
Flash Memory	512 MB
DRAM	1 GB
Management Protocols	Web GUI, CLI, SNMP v1/v2c/v3, RMON, NETCONF, RESTCONF
Power Supply	Internal Power Supply (AC 100-240V)
Operating Temperature	0°C to 40°C (32°F to 104°F)
Operating Humidity	10% to 90% (non-condensing)
Warranty	Cisco Limited Lifetime Warranty

03 / SECURITY & MANAGEMENT

Enterprise security and deployment flexibility

Security Features

802.1X
Authentication

Port Security

Access Control
Lists

Secure Shell
(SSH)

SSL Encryption

Cisco TrustSec

Related Models & Series

[C1300-12XT
Switch](#)

[C1300-12XS
Switch](#)

[C1300-48MGP-4X](#)

[Catalyst 9200 24T](#)

[Catalyst 9300 24S](#)

[View All
Hardware](#)

Important ordering note: Verify power cords, optical transceiver compatibility, and rack mounting accessories

with NEXOGET prior to finalizing your international enterprise hardware order.

Need pricing, availability or a bulk quotation for C1300-16XTS?

Contact NEXOGET for Cisco switches, enterprise networking equipment, project quantities, technical specifications, fast shipping, and global availability.

WhatsApp NEXOGET

Email for Quotation

Visit NEXOGET

WhatsApp

+971 50 516 6272

Email

info@nexoget.com

Online

NEXOGET